Full Colour Multi Function Printer

IM C2010

IM C2510[^]

IM C3010

IM C3510[^]

IM C4510

IM C6010







Authorised Dealer

SELECTDIGITAL

UNIT 2/12 ELWIN DR. ORANGE NSW 2800 02 6360 0094

sales@selectdigital.com.au







Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.



Table of contents

Achieve your sustainability goals	Page 4		
Secure and efficient	Page 5		
Enhanced productivity and seamless employee experience	Page 6		
Supporting your entire digital journey now and into the future	Page 7		
The choice is yours	Page 8		
Hardware configuration	Page 10		
Product specification	Page 11/12		



Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.

Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with end-to-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

Ongoing security

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.



More security – Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.



Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.



Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

Third-generation Smart Operation Panel

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.



Improved user experience

- Android OS 10 for better security and usability
- · Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- Fast wake up time from sleep mode



Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.



Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.



Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.



Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.





The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

IM C2010/IM C2510[^]

- 20 to 25 ppm A3 all-in-one printer for all-round support
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

IM C3010/IM C3510[^]


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

IM C4510/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



Hardware configuration



NOTE: ONLY THE MAIN HARDWARE OPTIONS ARE LISTED IN THIS DIAGRAM. CONTACT YOUR LOCAL SALES COMPANY FOR MORE INFORMATION.

IM C2010/IM C2510[^]/IM C3010/IM C3510[^]/IM C4510/IM C6010

First copy speed: B/W		IM C2010 (ARDF)	IM C2510^ (ARDF)	IM C3010 (SPDF)	IM C3510^ (SPDF)	IM C4510 (SPDF)	IM C6010 (SPDF)		
First copy speed BW	NERAL								
First copy speech full colour	m-up time	24 seconds	24 seconds	24 seconds	24 seconds	23 seconds	23 seconds		
Continuous output speed	t copy speed: B/W	5.1 seconds	5.1 seconds	4.5 seconds	4.5 seconds	3.6 seconds	2.9 seconds		
Memory standard 6 GB	t copy speed: full colour	7.4 seconds	7.4 seconds	6.9 seconds	6.9 seconds	5.4 seconds	4.2 seconds		
Memory animated		20 ppm	25 ppm	30 ppm	35 ppm	45 ppm	60 ppm		
Memory, maximum							8 GB		
SSD: standard SSD: pothonal 1TB	· ·						8 GB		
SBD: optional 118	•								
Document Feeder capacity									
Weight (kg)		100 sheets	100 sheets			220 sheets	220 sheets		
Dimensions WxDxH (mm)				-	-	-	100.8		
Private source					1		587 x 701 x 963		
Multiple copying	` '	001 X 101 X 010	001 11 11 11 10 10			001 X 10 1 X 000	001 1101 1000		
Multiple copying				220 240 (7,00 00112				
Resolution S00 dpi				Lin to 90	00 conies				
PRINTER					•				
PRINTER									
First print speed: B/W	111			F10111 25% t0 40	00 /0 III 1 /0 Steps				
First print speed: BIW	NTER								
First print speed; full colour OP (IM C2010), IM C2510*, IM C3510*, IM C3510*) IM C3510		4.5 seconds	4.5 seconds	4 seconds	4 seconds	3.2 seconds	2.4 seconds		
ApolloLake E3930 1.3 GHz			-				3.8 seconds		
M C3010, IM C3510*) Apollocake E3930 1.3 GHz									
Printer language: standard PCL5c, PCL6, PostScript 3 (emulation), PDF direct (emulation) Printer language: option Genuine Adobe® PostScript*3™, PictBridge, PDF Direct from Adobe® Post*3™, PDF Direct from Adob				ApolloLake E	3930 1.3 GHz				
Printer language: option Genuine Adobe® PostScript®3™, PictBridge, PDF Direct from Adobe® Print resolution: maximum 4,800 x 1,200 dpi equivalent Network interface: standard Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B Network interface: option Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2™ port) Mobile printing capability Apple AirPrint, Mopria®, NFC, Ricoh Smart Device Connector Windows® environments Windows® 10, Windows® 11, Windows® Server 2018, Wi	J (IM C4510, IM C6010)	ApolloLake E3940 1.6 GHz							
Print resolution: maximum 4,800 x 1,200 dpi equivalent Network interface: standard Ethernet 10 base-TX/100 base-TX/1000 base-T, USB Host I/F Type A, USB Device I/F Type B Network interface: option Wireless LAN (IEEE 802.11 a/b/g/n/ac), Additional NIC (2rd port) Mobile printing capability Apple AirFrint, Morpria®, NFC, Ricoh Smart Device Connector Windows® environments Windows® 11, Windows® 11, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019, Windows® Server 2018, Windows®	iter language: standard		PC	L5c, PCL6, PostScript 3 (en	nulation), PDF direct (emula	tion)			
Network interface: standard Ethernet 10 base-T/100 base-T/100 base-T/100 base-T, USB Host I/F Type A, USB Device I/F Type B Network interface: option Wireless LAN (IEEE 802.11 a/br/a/Ac), Additional NIC (2™ port) Mobile printing capability Apple Ally final (Park) (Inch Smart Device Connector) Mobile printing capability Windows® 8.1, Windows® 10, Windows® 11, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019, Windows® Server 2018, Windows® Server 2	iter language: option		Genui	ne Adobe® PostScript®3™, F	PictBridge, PDF Direct from	Adobe®			
Network interface: option Wireless LAN (IEEE 802.11 at/s/gn/ac), Additional NIC (2 nd port)	t resolution: maximum			4,800 x 1,200	dpi equivalent				
Mobile printing capability Apple AirPrint, Mopria®, NFC, Ricoh Smart Device Connector Windows® environments Windows® 8.1, Windows® 10, Windows® 21, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019, Windows® Server 2018, Vindows® Server 2018, Windows® Server 2018, Vindows® Server 2018, Vindows® Server 2018, Windows® Server 2018, Vindows® Server 2018	work interface: standard		Ethernet 10 base-	T/100 base-TX/1000 base-	Γ, USB Host I/F Type A, USE	B Device I/F Type B			
Mobile printing capability	work interface: option		Wire	eless LAN (IEEE 802.11 a/b	/g/n/ac), Additional NIC (2nd	port)			
Windows® environments Windows® 8.1, Windows® 11, Windows® 11, Windows® Server 2012R2, Windows® Server 2016, Windows® Server 2019, Windows Server 2019, Windows® Server 2018, Windows Wi	· · · · · · · · · · · · · · · · · · ·					. ,			
Mac OS environments Macintosh OS X v10.15 or later UNIX environments UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux Enterprise, IBM® AIX SAP® environments SAP® R/3®, SAP® S/4® Other supported environments TEMP R/3®, SAP® S/4® SCANNER IBM ISeries Scanning speed: (AA LEF, 200dpi, B/W, Full colour) 80 ipm 150 ipm (simplex) 300 ipm (duplex)	dows® environments	Windows® 8.1. W	Vindows® 10. Windows® 11.	Windows® Server 2012R2.	Windows® Server 2016. Win	ndows® Server 2019. Windo	ows® Server 2022		
UNIX environments SURIX Sun® Solaris, HP-UX, SCO OpenS=rever, RedHat® Linux Enterprise, IBM® AIX SAP® environments SAP® R/3®, SAP® S/4® Other supported environments Temported environments SCANNER IBM ISPERIES Scanning speed: (Ad LEF, 200dpi, B/W, Full colour) 80 ipm 150 ipm (simplex) 300 ipm (duplex) 150 ipm (simplex) 300 ipm (du									
SAP® environments SAP® R/3® SAP® S/4® Other supported environments IBM iS=ries SCANNER Road (AL LEF, 2004pi, B/W, Full colour) 80 ipm 150 ipm (simplex) 300 ipm (duplex) 250 ipm (simplex) 300 ipm (duplex) 250 ipm (simplex) 300 ipm (duplex) 250 ipm (simplex) 300 ipm (duplex)									
Other supported environments IBM Series SCANNER 80 ipm 80 ipm 150 ipm (simplex) 300 ipm (duplex) 150 ipm (simplex) 400 dpi Flow ipm (duplex) 150 ipm (simplex) 400 dpi			ONIX Out O			JIISC, IDIVI AIX			
SCANNER 80 ipm 80 ipm 150 ipm (simplex) 300 ipm (duplex)					•				
Scanning speed: (A4 LEF, 200dpi, B/W, Full colour) 80 ipm 80 ipm 150 ipm (simplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (duplex) 300 ipm (IDIVI I	Jenes				
Resolution 100 dpi, 200 dpi(default), 300 dpi, 400 dpi, 600 dpi File formats Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page Encryption PDF, Single page Encryption PDF, Single page Encryption PDF, Single page	nning speed: LEF, 200dpi, B/W,	80 ipm	80 ipm				150 ipm (simplex) 300 ipm (duplex)		
File formats Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page PIFF, Multi page PIFF, Multi page PDF/A, Single page Encryption PDF, Single page Encryption PDF, Single/multi OCR (optional) Scan modes E-mail, Folder, USB, SD Card FAX Circuit PSTN, PBX Transmission speed 3 seconds Modem speed: maximum 8x3.85 line/mm, 200x100 dpi Resolution: option Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm 94 spm 95 single page PDF/A, Multi page PDF/A, Mu	,			100 dpi, 200 dpi(default)	. 300 dpi. 400 dpi. 600 dpi				
FAX E-mail, Folder, USB, SD Card FAX PSTN, PBX Circuit PSTN, PBX Transmission speed 3 seconds Modem speed: maximum 33.6 Kbps Resolution: standard 8x3.85 line/mm, 200x100 dpi Resolution: option 16x15.4 line/mm, 400x400 dpi Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 94 spm 94 spm 94 spm 94 spm 95				PDF, Single page High com	pression PDF, Single page				
Circuit PSTN, PBX Transmission speed 3 seconds Modern speed: maximum 33.6 Kbps Resolution: standard 8x3.85 line/mm, 200x100 dpi Resolution: option 16x15.4 line/mm, 400x400 dpi Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm 94 spm 94 spm 95 spm	n modes								
Circuit PSTN, PBX Transmission speed 3 seconds Modern speed: maximum 33.6 Kbps Resolution: standard 8x3.85 line/mm, 200x100 dpi Resolution: option 16x15.4 line/mm, 400x400 dpi Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 94 spm 94 spm 94 spm 94 spm 94 spm 95 spm	,								
Transmission speed 3 seconds Modem speed: maximum 33.6 Kbps Resolution: standard 8x3.85 line/mm, 20x100 dpi Resolution: option 16x15.4 line/mm, 400x400 dpi Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm				DOTA	I PRX				
Modem speed: maximum 33.6 Kbps Resolution: standard 8x3.85 line/ mm, 20x100 dpi Resolution: option 16x15.4 line/ mm, 40x400 dpi Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm 95 spm									
Resolution: standard 8x3.85 line/mm, 200x100 dpi Resolution: option 16x15.4 line/mm, 400x400 dpi Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm 95 spm									
Resolution: option 16x15.4 line/ mm, 400x400 dpi Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm 95	· ·								
Compression method MH, MR, MMR, JBIG Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm 95 spm									
Scanning speed (A4 LEF) 68 spm 68 spm 94 spm 94 spm 94 spm 94 spm		·							
		60 6	60			04 0000	04		
wemory, standard 4 MB, (320 pages)		oo spm	oo spm		·	94 spm	94 spm		
Memory: maximum 60 MB, (4,800 pages)	,			· · · · · · · · · · · · · · · · · · ·					

IM C2010/IM C2510^/IM C3010/IM C3510^/IM C4510/IM C6010

	IM C2010	IM C2510^	IM C3010	IM C3510^	IM C4510	IM C6010	
	(ARDF)	(ARDF)	(SPDF)	(SPDF)	(SPDF)	(SPDF)	
Recommended paper size	Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper (Width: 90-320mm, Length: 148-87.2mm (Copy/Document server) 148-1,260mm (FAX/Printer))						
Paper input: standard	1,200 sheets						
Paper input: maximum	2,300 sheets 4,700 sheets						
Paper output: standard	500 sheets						
Paper output: max. (IM C2010, IM C2510^, IM C3010, IM C3510^)	1,625 sheets						
Paper output: max. (IM C4510, IM C6010)	3,625 sheets						
Paper weight	Trays: (60 - 300 g/m²), Bypass: (52 - 300 g/m²), Duplex: (52 - 256 g/m²)						
Paper types	Plain paper, Recycle paper, Special paper, Color paper, Letterhead, Cardstock, Preprinted paper, Bond paper, Coated paper, Envelope, Gloss paper, Label paper, OHP						
ECOLOGY							
Power consumption: max.	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,700 W	Less than 1,850 W	Less than 1,850 W	
Power consumption operation: B&W	411.8 W	449.2 W	464.4 W	500.5 W	576.6 W	763.3 W	
Power consumption operation: Full colour:	456.3 W	494.5 W	515.3 W	543.6 W	664.9 W	871.2 W	
Power consumption: ready	37.7 W	37.7 W	38.5 W	38.5 W	40.5 W	40.1 W	
Power consumption: sleep	0.30 W	0.30 W	0.30 W	0.30 W	0.32 W	0.32 W	
TEC*	0.20 kWh/week	0.25 kWh/week	0.30 kWh/week	0.35 kWh/week	0.45 kWh/week	0.67 kWh/wee	

^{*} It is a reference value based on the ENERGY STAR Ver.3.0 test method.

OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,500-sheet side Large capacity tray, Side Tray^, 1,000-sheet Hybrid finisher, 3,000-sheet finisher^, 1,000-sheet Booklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher^, 500-sheet Internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit^, Stapleless unit^

Fax unit, G3 Interface, Fax connection unit, Fax memory unit[^], Caster table[^], Banner paper guide tray[^], Punch units, IPDS unit[^], PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit[^], File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle^A, Counter I/F unit, NFC card reader^A, EFI controller^A, Unicode Font Package for SAP, Card reader cover, SSD 1 TB option^A, Enhanced Security SSD^A, Bridge unit, Toner bottle lock^A, Antimicrobial screen protector

CONSUMABLES						
Toner (black)	30,000 Prints	30,000 Prints	40,000 Prints	40,000 Prints	42,000 Prints	42,000 Prints
Toner (cyan/magenta/yellow) Consumable yield based on 3p/j 5% coverage on A4	18,000 Prints	18,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints	28,000 Prints

[^] Indicates an item that is non-stocked where extended lead times of up to 5 months is applicable





Ricoh Australia Pty Ltd, Level 1, 2 Richardson Place, North Ryde, NSW 2113, 13 RICOH (13 74 264)

©2023 Ricoh Australia Pty Ltd. All Rights Reserved Trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners.

©2023 Ricoh Australia Pty Ltd. All Rights Reserved. The content of this document, and the appearance, features and specifications of Ricoh products and services are subject to change from time to time without notice. Products are shown with optional features. While care has been taken to ensure the accuracy of this information, Ricoh makes no representation or warranties about the accuracy, completeness or adequacy of the information contained herein, and shall not be liable for any errors or omissions in these materials. Actual results will vary depending upon use of the products and services, and the conditions and factors affecting performance. The only warranties for Ricoh products are as set forth in the express warranty statements accompanying them.



















